Precision Thick Film Chip Resistors ERJ R: 0402, 0603, 0805 ERJ E: 0603, 0805, 1206,

1210, 1812

Type: ERJ 2R, 3R, 6R ERJ 3E, 6E, 8E, 14, 12



#### ■ Features


- Small size and lightweight
  - For PCB size reduction and lightweight products
- High reliability
   Metal glaze thick film resistive element and three
   layered electrode results in high reliability.
- Matching with placement machines
  Bulk, Taping and magazine packagings for automatic placement machines
- Solderability
  Suitable for both reflow soldering and flow soldering

Marking


Four digit marking of resistance value on resistive element side (except 2R, 3R, 6R, 3E Type)

- High power
  One rank up approval of power rating is available for 3E, 6E, 8E type
- Approved under the ISO 9001 system Approved under the QS-9000 system
- Reference Standards
  IEC 60115-8, JIS C 5201-8

### ■ Explanation of Part Numbers (ERJ2R, 3R, 6R Series)




#### ■ Explanation of Part Numbers (ERJ3E, 6E, 8E, 14, 12 Series)




and the 4th one denotes number of zeros following.

# **Panasonic**

## ■ Construction



## ■ Dimensions in mm (not to scale)



Туре			Weight				
(inches)	L	W	а	b	t	(1000 pcs.)	
ERJ2R (0402)	1.00±0.05	0.50+0.05	0.20±0.10	0.25±0.05	0.35±0.05	0.8 g	
ERJ3R (0603)	1.60±0.15	0.80+0.15	0.30 <sup>±0.20</sup>	0.30 <sup>±0.15</sup>	0.45 <sup>±0.10</sup>	2 g	
ERJ6R (0805)	2.00±0.20	1.25±0.10	0.40±0.20	0.40±0.20	0.60±0.10	4 g	
ERJ3EK (0603)	1.60±0.15	0.80+0.15	0.30±0.20	0.30±0.15	0.45 <sup>±0.10</sup>	2 g	
ERJ6EN (0805)	2.00±0.20	1.25±0.10	0.40±0.20	0.40±0.20	0.60±0.10	4 g	
ERJ8EN (1206)	3.20+0.05	1.60+0.05	0.50±0.20	0.50±0.20	0.60±0.10	10 g	
ERJ14N (1210)	3.20±0.20	2.50±0.20	0.50±0.20	0.50±0.20	0.60±0.10	16 g	
ERJ12N (1812)	4.50±0.20	3.20±0.20	0.50±0.20	0.50±0.20	0.60±0.10	27 g	

# ■ Ratings


Туре	Power Rating	Limiting Element Voltage (Maximum	Maximum Overload		Resistance	Ranges (Ω)	T.C.R. ×10-6/°C	Standard	
(inches)	at 70 °C (W)	RČWV) <sup>(1)</sup> (V)	Voltage <sup>(2)</sup> (V)	Tolerance (%)	min.	max.	(ppm/°C)	Resistance Values	
ERJ2R					10	91	±100		
(0402)	0.063	50	100	±1, ±0.5	100	100 K	±50	E24	
(0402)					110 K	1 M	±100		
ERJ3R					10	91	±100		
(0603)	0.063	50	100	±0.5	100	100 K	±50	E24	
(0003)					110 K	1 M	±100		
ERJ6R					10	91	±100		
(0805)	0.1	150	200	±0.5	100	100 K	±50	E24	
					110 K	1 M	±100		
ERJ3EK	0.063	50	100	±1	10	1 M	±100	E24,E96	
(0603)	(0.1)(2)	30	100	Ξ1	10	I IVI	±100	L24,L90	
ERJ6EN	0.1	150	200	±1	10	2.2 M	±100	E24,E96	
(0805)	(0.125)(2)	150	200	Ξ1	10	Z.Z IVI	±100	L24,L90	
ERJ8EN	0.125	200	400	+1	10	2.2 M	±100	E24,E96	
(1206)	(0.25)(2)	200	400	Ξ1	10	Z.Z IVI	±100	L24,L90	
ERJ14N	0.25	200	400	±1	10	1 M	±100	E24,E96	
(1210)	0.25	200	400	Ξ1	10	I IVI	±100	L24,E90	
ERJ12N	0.5	200	400	±1	10	1 M	±100	E24,E96	
(1812)	0.5	200	400	-'	10	1 101	± 100	[24,[30	

<sup>(1)</sup> Rated Continuous Working Voltage (RCWV) should be determined from RCWV= \( \sqrt{Power Rating} \times \text{Resistance Values} \), or Limiting Element Voltage (max. RCWV) listed above, whichever less.

<sup>(2)</sup> Overload (Short-time Overload) Test Voltage (SOTV) should be determined from SOTV=2.5 × Power Rating or max. Overload Voltage listed above whichever less.

## Power Derating Curve

For resistors operated in ambient temperatures above 70 °C, power rating should be derated in accordance with the figure on the right.




# ■ Packaging Methods

## Standard Quantity


Type (inches)	Thickness (mm)	Punched (Paper) Taping (4 mm pitch)	Embossed Taping (4 mm pitch)	Bulk Case
ERJ2R (0402)	0.35	10000 pcs./reel(2 mm pitch)		
ERJ3R (0603)	0.45	5000 pcs./reel		
ERJ6R (0805)	0.6	5000 pcs./reel		
ERJ3EK (0603)	0.45	5000 pcs./reel		25000 pcs./case
ERJ6EN (0805)	0.6	5000 pcs./reel		10000 pcs./case
ERJ8EN (1206)	0.6	5000 pcs./reel		
ERJ14N (1210)	0.6		5000 pcs./reel	
ERJ12N (1812)	0.6		5000 pcs./reel	

# Taping Reel




(mm) Dimensions	Туре	φA	φB	φC	W	Т	
	2R,3R,6R 3EK,6EN, 8EN,14N	180.0 0 0 0 0 0	60 min.	13.0±1.0	9.0±1.0	11.4±2.0	
	12N				13.0±1.0	15.4±2.0	

### Bulk Case




# **Panasonic**

#### Punched (Paper) Taping



(mm) Dimensions	Type	А	В	W	F	E	P <sub>1</sub>	P <sub>2</sub>	P <sub>0</sub>	$\phi D_0$	T
	2R	0.70±0.05	1.20±0.05	8.00±0.20	3.50±0.05	1.75 <sup>±0.10</sup>	2.00±0.10			1.50+0.10	0.45±0.05
	3R,3EK	1.10±0.10	1.90±0.10				4.00 <sup>±0.10</sup>	0.00+0.05	4.00+0.10		0.64±0.05
	6R,6EN	1.65±0.15	2.50±0.20					2.00 <sup>±0.05</sup>	4.00±0.10		0.84±0.05
	8EN	2.00±0.15	3.60±0.20								0.64

#### Embossed Taping



	Туре	Α	В		W		F		Е		P <sub>1</sub>	
(mm) Dimensions	14N	2.80±0.20	3.50±0.20		8.00±0.30		3.50±0.05		1.75±0.1		4.00±0.10	
	12N	3.50±0.20	4.80	.80±0.20		2.00±0.30 5		j±0.05			4.0020.10	
	_		_					_		_		
( )	Туре	P <sub>2</sub>		P <sub>0</sub>		$\phi D_0$		t <sub>2</sub>			$\phi D_1$	
(mm) Dimensions	14N	2.00±0.05		4.00±0.10		1.50 +0.10		1.00±0.10		1 min.		
	12N	2.00	"					1.0	0020.10		.5 min.	

## **∆** Safety Precautions

- 1. If transient load (heavy load in a short time) like pulse is expected to be applied, carry out evaluation and confirmation test with the resistors actually mounted on your own board.
  - When the load of more than rated power is applied under the load condition at steady state, it may impair performance and/or reliability of resistor.
  - Never exceed the rated power.
- Chlorine type or other high-activity flux is not recommended as the residue may affect performance or reliability of resistors.
- 3. When soldering with soldering iron, never touch the body of the chip resistor with a tip of the soldering iron. When using a soldering iron with a tip at high temperature, solder for as short a time as possible (three seconds or less up to 350 °C).
- 4. Avoid physical shock to the resistor and nipping of the resistor with hard tool (a pair of pliers or tweezers) as it may damage protective film or the body of resistor and may affect resistor's performance.